


don't LOSE the HEAD

a **support** booklet for **parents/**
guardians in dealing with the issues
of **drugs** & **alcohol** in the family



Acknowledgements

Welcome to the sixth edition of our booklet, there have been some changes from the previous editions, which include new information on our partner services and youth services including our new outreach service in Balbriggan.

A final word of thanks to all of you who have supported and encouraged us in this undertaking: THANK YOU.

Gerard Kelly, Manager
Crosscare Drug & Alcohol Programme

This Booklet has been co-funded by:
North Dublin Regional Drug & Alcohol Task Force

1st Edition – 2008
2nd Edition – 2010
3rd Edition – 2011
4th Edition – 2013
5th Edition – 2015
6th Edition – 2019
Review Date – 2021



“collective
suggestion”



We met with young people, professionals working
with drugs issue and most importantly, with parents
to inform the development of this booklet.



CONTENTS

Hello	4
What is this booklet about?	4
How will this booklet help parents?	4
What is a drug?	5
 Talking To Our Children About Drugs	 6
Why do some young people use drugs?	6
Drugs – the reality	6
Parents' reactions	6
Some general tips for parents.....	7
What do we know and think about drugs – a quiz for all the family	8
What can help to prevent our children from using drugs?	9
Quiz – Answers	10
What can put our children at risk of using drugs?	12
 Dealing With The Drugs Issue In The Family	 14
Levels of drug use	14
'I know my child is not using drugs – what can I do to keep it this way?'	15
'I suspect my child is using drugs – what can I do?'	17
'I know my child is using drugs on a regular basis – what can I do?'	20
'I know my child is using drugs and is having problems because of it – what can I do?'	23
'I know my child has become dependent on drugs – what can I do?'	26
What to do in an emergency	29
 Facts About Drugs	 31
Some statistics about drugs	31
Head Shops.....	31
Types of drugs	32
Alcohol.....	33
Tobacco	34
Cannabis	35
Ecstasy.....	36
Amphetamines	37
Benzodiazepines	38
Cocaine	39
Heroin.....	40
 Drug Related Intimidation	 42
 Technology	 43
 List Of Support Services.....	 46

HELLO!

What is this booklet about?

This booklet has been written for parents/guardians as well as others who take care of children and young people e.g. extended family members such as grandparents, older siblings or aunts/uncles. In the booklet, the terms child, young person and 'son or daughter' are used in the broadest sense possible in order to cover the age span from 0 to 18 years +. Remember, the earlier a parent/guardian starts to talk to their child about drugs and alcohol the better. This booklet may also be of interest to others who work with young people e.g. teachers, youth workers, community and social care professionals etc.

How will this booklet help parents?

- It provides support and self-help for parents/guardians in dealing with the issue of drugs and alcohol within the family;
 - It provides guidance for parents/guardians on what they can do if they suspect or know that their child is using drugs;
 - It provides factual information about some of the more common drugs (including alcohol), their effects, signs and symptoms;
 - It provides a list of relevant support services in the North Dublin City & County area.
 - This booklet now contains an added piece on Technology support for parents.
- * This booklet can help parents/guardians to address both the issues of drugs and alcohol within the family**

did you
Know?

Parents who talk to their children about drugs and know what they are doing and who they are with, can reduce the chances of their children using drugs.


(Biglan et al, 2004, cited in www.drugprevention.gc.ca)

did you
Know?

Children that feel connected to their families are more likely to avoid the dangers of drugs. (Canadian Centre on Substance

Abuse 2007, cited in www.drugprevention.gc.ca).

did you
Know?



We as parents sometimes do not realise that we have a lot of influence on our children's behaviour. We can make a big difference as to how our children think and behave in relation to drugs. If we know about drugs we can more easily talk with our children about drugs, prevent and delay them from using drugs and take action if they become involved with drugs. It should be a comfort to parents to know that the majority of young people do not use illegal drugs on a regular basis.

what is a drug?

A drug is any substance other than food that alters the way a person thinks, feels or acts. This includes medicinal drugs and also alcohol, tobacco and caffeine.

(Source: The Facts of Drugs – a parent's guide, HSE)



Active and courageous parenting is the basis for dealing with the issue of drugs and alcohol within the family. This isn't always easy but taking positive action can make a big difference to our children's lives.

This booklet will help us to learn more about drugs and alcohol and to help us to talk with our children about drugs and alcohol no matter what level of involvement they may have with them e.g. from non-use through to problematic use/ addiction. Some key messages are repeated throughout the booklet. This is important as some parents may wish to only read the sections that are most relevant to them. However, the full booklet provides useful information for all parents.


TALKING

to our children about drugs.

Why do some young people use drugs?

Many adults think that young people use drugs if they are having problems. This is usually not true. Young people often use drugs to experiment, have fun, because they want to or to unwind. Sometimes we think that young people use drugs because their friends do. This is not necessarily the case. While friends or peers may have some influence, there are many other factors which can influence their decision to use drugs or alcohol. These include the following:

- They are curious about the effects of drugs
- The drugs are easily available and affordable
- They enjoy the short-term effects
- Their friends use them – it is a group activity
- To cope with difficult situations including stress or boredom
- ‘Dance drugs’ are a part of their music scene
- Drug use seems part of the local youth culture
- As part of growing up, they might want to ‘break the rules’ – natural rebellion



Drugs – the reality:

We live in a drug-taking society. While there is a lot of concern about illegal drugs, the most harm and the greatest risk to young people comes from using legal drugs such as alcohol, cigarettes and the inappropriate use of medicines. For young people, part of growing up is about trying new things and pushing the boundaries. So, it is not surprising that some young people try illegal drugs. It is good to know, however, that out of those who try illegal drugs, many will not go on to use drugs regularly, and the majority will not develop serious problems.

Parents' reactions:

In general, as parents, one of our greatest fears is to discover that our children are using drugs. Our common reactions, along with the rest of society, often include anger, shock, guilt, denial and blame. While it is not surprising that we react in these ways, we also need to be able to take positive action to help and support our children at difficult times such as these. One of the most important ways in which we can help and support them is to keep the lines of communication open.

general **TIPS** * for parents:

- * When it comes to parenting and drugs, 'actions speak louder than words'. We need to think about our own use of alcohol, tobacco, medications and other drugs. We need to be aware that our homes can be a source of many legal drugs e.g. alcohol, tobacco, medications etc and we need to be careful about who has access to them.
- * We need to show that we are really interested and involved in our children's lives and this needs to start when they are young. 'Chat to them, don't interrogate them'.
- * We can teach our children to behave responsibly. We can give them practice at negotiating, making choices and 'saying no'. We can gradually give them responsibility for making their own decisions. We should also make sure they know what they are allowed to do and what we won't allow. Family rules are important, especially for children and younger teenagers. As teenagers get older we can encourage them to take more responsibility for themselves and their behaviour. This is a gradual process as they get older and involves building trust between parents and children.
- * At all stages in our children's lives, we can think about how we can spend time together as a family, caring for each other and enjoying each other's company e.g. family meals, talking, going out and having fun together.
- * Children and young people who have hobbies and interests may be less likely to get involved with drugs. We can help our children to get involved in activities and support them in whatever way we can e.g. with praise and encouragement.
- * We can help to build their self-esteem and their confidence, teaching them to make the most of their abilities and to be happy in themselves.
- * We can get to know our children's friends and make our home a welcome place for them to visit.
- * Communication is the key... we can listen to our children's ideas and opinions, even if we don't always agree with them. In this way, they will be better able to tell us things that we may not want to hear but need to hear.
- * We don't need all the answers; we need to be willing to ask for help when we need it. We also need to encourage our children to ask us and others for help when they need it.
- * We need to try to answer their questions as honestly as possible and give them relevant information when they need it and when they can understand it. It is important to give our children an opening to talk about drugs e.g. we can use opportunities such as a storyline involving drugs or alcohol in a TV soap to open the discussion.
- * With the increase in suicide in Ireland, and the links with alcohol and drug use, it is important that we encourage our children to identify someone they feel comfortable talking to when they have a problem if they feel they cannot talk to us. E.g. this might be an older brother or sister, an aunt or uncle or a friend.
- * Children who know that their parents love them feel good about themselves. Showing our children that we love and care for them is the most important thing.


Remember!!!
"keep the
communication
lines open"

Remember!!!
"active and courageous
parenting means
taking positive action"


what do we know and think about drugs? - a quiz for all the family.

We can use this quiz as a way for the family to discuss facts and attitudes to drugs. We should give everyone a chance to give their opinions before checking the answers overleaf.

1. What drug causes more deaths each year in Ireland than all the other drugs together?
2. If someone has a problem with drugs or alcohol it affects everyone in the family? True or False?
3. What is the most widely used drug in the world?
4. What drug is more used by women than by men in Ireland?
5. It is a parent's job to talk to their children about drugs and alcohol? True or False?
6. The same drug, e.g. alcohol, can affect different people in different ways? True or False?
7. The majority of young people don't use illegal drugs on a regular basis? True or False?
8. It is a parent's job to know where their children are, who they are with and what they are doing? True or False?
9. Every young person should have someone to talk to about their problems, even if it is not their parents? True or False?
10. What do we think about drugs?



Answers to the quiz
can be found on
pages 10 & 11.



what can help PREVENT our children from taking drugs?



A loving family unit that:

- provides support and encouragement for all family members. Families come in all shapes and sizes. Belonging to a family, whatever its make-up, is the important thing;
- builds positive relationship between parents and children and where the family enjoys spending time together;
- looks out for each other – knowing where our children are, what they are doing and who they are with;
- shows an interest in each other's lives, activities and relationships;
- gives clear messages about the dangers and consequences of using drugs, including tobacco and alcohol.

Children who:

- believe that using drugs will have negative effects on their lives;
- do not use drugs or delay any involvement with drugs for as long as possible (including tobacco and alcohol);
- feel good about themselves, and are able to deal with their feelings and emotions in an appropriate way;
- have friendships and relationships with peers who are a positive influence;
- are able to ask for help when they need it.


A supportive community which:

- provides opportunities for children, young people and families to be involved in recreational/sporting/ social activities (not involving alcohol or drugs);
- provides access to other supports outside the family (e.g. school, youth projects, voluntary groups).



(Source: Adapted from Dublin North East Drugs Task Force, NYHP Youth Work Support Pack & Teenagers & Drugs...Parent Easy Guide, HSE)

Quiz - Answers



Our intention in designing this quiz is to encourage discussion. Some of the answers are “true” or “false”, while others are a matter of opinion.



1. What drug causes more deaths each year than all the other drugs together?

Answer: Nicotine, in the form of cigarettes, leads to about 5,000 deaths in Ireland each year – by heart disease, lung cancer, emphysema, etc. Alcohol kills about 1000; heroin about 100.

2. If someone has a problem with drugs or alcohol it affects everyone in the family. T/F?

Answer: True. On average, five people as well as the person with the drug or alcohol problem, are affected by the upset and chaos. These are often the family members of the person with the problem.




3. What is the most widely used drug in the world?

Answer: Caffeine is the most widely used drug. There is caffeine in tea as well as coffee.

4. What drug is used more by women than by men in Ireland?

Answer: Sedatives (usually prescribed medicines) are more widely used by women than by men in Ireland.



5. It is a parent's job to talk to their children about drugs and alcohol. T/F?

Answer: In our opinion, Yes, parents should discuss drugs with sons and daughters, but not in a preachy way. We prefer a calm discussion which encourages people to think for themselves.

Q & A



**DON'T BE AFRAID
TO ASK FOR HELP!**



6. The same drug, alcohol, can affect different people in different ways. T/F?

Answer: True. A drug has different effects on different people – and even on the same person at different times.

7. The majority of young people don't use illegal drugs on a regular basis. T/F?

Answer: True. Many surveys show that two thirds of young adults in Ireland have NOT used an illegal drug.

8. It is a parent's job to know where their children are, who they are with and what they are doing. T/F?

Answer: Up to a certain age, yes. A parent's job is to "give them roots, then give them wings." Parents usually hand over responsibility gradually to teens between 12 and 18 years of age.

9. Every young person should have someone to talk to about their problems, even if it is not their parents. T/F?



Answer: True. Everyone needs to ask for help at times. It makes sense to ask for help sooner rather than later, when you need it.

10. What do you think about drugs?

Answer: Everyone is entitled to an opinion on this. Drugs like morphine are very useful (as a pain killer) yet very addictive and harmful if misused. We need to learn how to manage some drugs and avoid others.

**GIVE THEM
ROOTS
THEN GIVE THEM
WINGS**

FREE



what can put our children at **RISK** from taking drugs?



Difficult family circumstances where:

- there is ongoing hostility and conflict at home. We need to be aware of the effect that family conflict is having on our children and work together to deal with family rows as quickly as possible. If we find it too difficult to deal with conflict in the family ourselves, we may need to get some outside help.
- the relationship between a parent and child is severely damaged. We need to be aware of how our relationship with our children affects their behaviour.
- there is low parental supervision and poor discipline. We need to be aware that children who are not properly supervised can be at greater risk of involvement in a range of anti-social activities. Children need to know that someone is looking out for them e.g. being up when they come home after a night out or collecting them from a party.
- parents' own alcohol and/or drug use is setting a poor example. We need to be aware that our own alcohol/drug use has a major influence on what our children will do... we need to remember that 'actions speak louder than words'.
- parents have low expectations of, or lack of interest in their children's lives. We need to be aware that our children can respond to our expectations of them and if we expect little, that is often what we will get. Children need to know that we are genuinely interested in the day-to-day happenings in their lives.

Children who:

- drop out of school at an early age. We can take every possible step to encourage and support our children to stay in school for as long as possible or help them to find a suitable alternative.
- get involved with drugs at an early age, including alcohol and tobacco. If we are aware that our children have become involved with drugs, take action to deal with this situation as soon as possible and seek outside help if necessary.
- are involved with friends/peers who are using drugs. We can encourage our children/young people to develop friendships with more than one group of young people. This means that they have alternative friends to be with if one of the groups is using drugs.
- have low self esteem and a lack of belief in themselves and their future. We need to build positive relationships with our children and encourage them to express their feelings and emotions. We also need to encourage and support them and show them that we love them and believe in them.
- are affected by an emotional or mental health issue e.g. depression. If our children are affected by an emotional or mental health issue of any kind, we should look for help immediately e.g. visiting the GP is a good place to start.

(Source: Adapted from Dublin North East Drugs Task Force, NYHP Youth Work Support Pack & Teenagers & Drugs... Parent Easy Guide, HSE)

RISK through:

A community where:

- there is a lack of alternatives to drug/alcohol use. We can talk to other parents to find out what is actually available in the community and surrounding area e.g. youth projects, sports clubs and support our children/young people to get involved e.g. provide the bus fare, lifts etc...
- there is little formal support. We can educate ourselves and our families about the agencies and groups available to us. Information is available from many sources e.g. community advice centres, GP surgeries, health centres, youth centres etc. we can encourage our children and young people to ask for help if they need it and help them to identify where they can get help if they do not feel they can come to us.



DEALING

with the drugs issue in the family

Levels of Drug Use:

Once again, we need to remember that many young people who use drugs (i.e. any type of drug, including legal and illegal drugs) do not go on to become addicted or dependent on drugs. There are varying levels of drug use and related problems.

From a parent's point of view things might look like this:

- 'I know my child is not using drugs – what can I do to keep it this way?'

Non Use

- 'I suspect my child is using drugs – what can I do?'

Suspected Use

- 'I know my child is using drugs on a regular basis – what can I do?'

Confirmed Use

- 'I know my child is using drugs and is having problems because of it – what can I do?'

**Confirmed use with
additional problems**

- 'I know my child has become dependent on drugs – what can I do?'

Dependence/Addiction

* **The following sections discuss each of these levels in detail.**

i know my child is not using drugs -what can i do to keep it this way?

non use

When our children are young it is taken for granted that we know exactly where they are, who they are with and what they are doing. As children grow and develop e.g. start school, make friends, take up hobbies, we begin to help them to develop a level of independence. We need to strike a balance between our children growing towards independence and making sure that they are safe at all times.

A normal part of our children's development involves them becoming aware of drugs in our society. Our children can start to learn about drugs at an early age e.g. through television, friends, events in the community. Children will always have questions about things they

hear about, and this includes drugs. It is important that we do our best to answer these questions honestly and openly. It is also important that we answer at our child's level of understanding. Too little or too much information can be confusing. This involves making sure we have the necessary information to answer those questions i.e. that we have some basic information about drugs, signs and symptoms, effects and where to get help if and when we need it. One of the most useful ways to get this information is by attending a drugs awareness programme.



LEARN
THE FACTS

For further information
on programmes available,
please see pages 45 - 51.

We as parents have a responsibility to make sure that our children are safe at all times, and, regardless of their age, the following key REACH points are important in ‘parenting positively for prevention’.

R

R is for relationship

A good relationship between a parent and child is the best foundation for prevention of drug problems. Keep the lines of communication open. We don't have to be experts on drugs to do this.

E

E is for example

Children learn a great deal by watching others, especially parents. We need to show good example in our own use of drugs; we should not use illegal drugs, if we drink, we should use alcohol responsibly. We should always follow a doctor's instructions when using prescription medicines.

A

A is for attitudes

Children's attitudes are influenced at an early age and again, we as parents are a very powerful influence. Children need to get clear messages from us about drugs. We can look for opportunities to talk about drugs with our children e.g. when something about drugs comes on the television or when we are in the car.

C

C is for confidence

Confidence is important for both parents and children. As parents, we need to have the confidence to learn about and talk about drugs with our children. Children who feel good about themselves are less likely to get into trouble with drugs. Building confidence and self-esteem in our children is another important task in ‘positive parenting for prevention’.

H

H is for how

The reality is that children are going to come into contact with drugs at some point in their lives. We need to help them prepare to deal with situations which may occur e.g. when a friend first offers them alcohol, a cigarette or a joint. We can discuss with them e.g. ‘how would you say no without losing face?’, ‘how would you react if someone collapsed after taking something?’ Coming up with answers to these questions is better than lecturing them about drugs. In this way we are ‘parenting positively for prevention’.

(Source: Adapted from ‘Let's Talk Drugs’, Irish Examiner, 29.1.08)



I SUSPECT my child is using drugs – what can i do?

suspected use

While we try our best to protect our children for as long as possible there comes a time when they want to break out on their own and do their own thing. This could involve wanting to experiment with drugs, be that alcohol, smoking or some other type of drug. The first time we have concerns or become suspicious about our son or daughter using drugs is a critical time for everyone. So, what do we need to do in order to respond in the best way possible? Here are some useful pointers.



Stop and think.

If we suspect that our son or daughter is using drugs, it is probably because we have seen or heard something that tipped us off, or else it is because of problems or behaviours that we have become aware of. The first step is to stop, take a deep breath and think rather than respond with a knee-jerk reaction.



Don't accuse them.

If we accuse them and we are wrong, this can damage our relationship with them. Present a united front: If two parents are dealing with the situation, it is important to present a united front and avoid giving contradictory messages. This can prevent children from trying to 'play one parent off against the other'.

Who else can help us?

Has anyone else noticed a change in our child's behaviour? e.g. family members, friends, other parents etc. We need to think how others we trust might help us decide what is going on. In some cases, we may need to look for professional advice. We shouldn't be afraid to do this; we haven't got all the answers.



Is it drugs or is it something else?

One of the problems for parents is trying to distinguish the warning signs of drug use from the normal aspects of growing up e.g. children or young people can be moody, withdrawn, sleepy and unpredictable for reasons that have nothing to do with drugs. In fact, this behaviour is often a normal part of growing up.

Trust our own instincts.

We should never ignore our suspicions but neither should we jump to conclusions. A child could have some of these signs and not be involved in drugs. However, there might be something else wrong e.g. bullying, and it is important to talk to them and find out.

These warning signs may be cause for concern:

School

- decreased interest
- negative attitude
- drop in grades
- many absences
- truancy
- discipline problems

Emotional

- personality change
- sudden mood changes
- irritability
- irresponsible behaviour
- low self-esteem
- poor judgment
- depression
- general lack of interest

Social problems

- new friends who make poor decisions and are not interested in school or family activities
- problems with the law
- changes to less conventional styles in dress and music

Family

- starting arguments
- negative attitude
- breaking rules
- withdrawing from family
- secretiveness
- selling personal or family possessions

Physical

- fatigue
- repeated health complaints
- red and glazed eyes
- lasting cough



The effect upon the individual of any drug may vary, depending on:

- the expectations and mood of the user;
- the amount used;
- where the drug use happens;
- how often the drug is being used;
- whether it is mixed with other drugs, which can be fatal.

Some drugs are manmade and unsafe. As such they are rarely pure and are often mixed with a range of other dangerous substances.

(Source: www.focusas.com/SubstanceAbuse.html)
Also, go to pages 31 - 42 of this booklet for more information on drugs.

TRUST YOUR INSTINCT:

Don't ignore your suspicions but also try not to jump to conclusions. A child could have some of these signs and not be involved in drugs. However, there might be something else wrong e.g. bullying, and it is important to talk to them and find out.

Communication

The first step for us in responding is always to talk with our son or daughter. The timing of this conversation is very important and it should not happen in the heat of the moment or if they are drunk or under the influence of a drug. It is also important not to have this conversation if we, the parents, are under the influence of drink/drugs. When things have settled, possibly the next day, it is important to find out what happened, why it happened and who was involved. This should not be an interrogation but rather an open, caring and frank discussion. We should reassure them that we will always be there to talk and to listen to them. We need to think about how we would react if they tell us that they have tried, or are using drugs and be ready for this.

Advice

Advice is important for both us as parents and our children. Based on what we discover from talking with our son or daughter, we may need to look for advice on how to deal with the situation. This may involve finding out more about the particular drug they used, or making contact with an outside agency that can offer us advice and support. Once again, the following sections in this booklet provide valuable information. We also need to be in a position to offer advice to our son or daughter about the next steps and how to deal with this situation. There should be consequences for their actions and this may involve sanctions because family rules have been broken. We need to be clear about the sanctions and stick to them, especially with children and younger teenagers.

Links

As parents we shouldn't feel that we have to have all the answers and do everything. It is important that we look at links we can make with other people who can help us. There might be a case where we are not the right person to talk to the child/teenager and that another family member e.g. older sibling, aunt or uncle, may have more success. We may feel that we need to talk to other parents whose children may also be involved in this situation. This needs to be done sensitively and without either scapegoating our own child or accusing others. Depending on the particular situation, we may need to talk with people who are trained to deal with these situations. For a list of helping agencies, see section 5 of this booklet.

Moving forward

While it may seem like the end of the world at the time, these situations, once dealt with, should be left behind. It is important that we as parents don't keep revisiting the situation or 'harping on' about it. We should let the child/teenager learn from their mistake and move forward.

Who else can help us?

Has anyone else noticed a change in our child's behaviour? e.g. family members, friends etc. We need to think how others we trust might help us decide what is going on. In some cases, we may need to look for professional advice. We shouldn't be afraid to do this; we haven't got all the answers.

I KNOW my child is using drugs on a regular basis – what can i do?

confirmed use

When we become aware that our son/daughter is using drugs we need to take action. The following points will be useful in helping us to take positive action.

Establish the facts:

This includes finding out the following:

What drug? Try and find out which drug/drugs they are using.

What harm? This is important. Has any harm happened to your son or daughter recently?
When a person uses drugs, there is often a honeymoon period during which the drug use causes little or no visible harm. It is easier to intervene when there is visible harm to focus on.

TAKE ACTION

One of the ways to take action is to set up a 'family meeting' with the child. We should try to do this at a time when we feel able to talk to them calmly and where there will be no interruptions. It is important not to try to deal with this when they are under the influence of the drug or if we are under the influence of alcohol/drugs. These are useful steps to take in this meeting.

action!



1. Indicate our care and concern:

Let them know that we are concerned, and why. If there has been some sort of harm, name it. If we have discovered that they are using drugs, let them know that we know.

2. Stick to facts:

We need to focus on visible facts, such as drugs found, poor reports from school or work, weight loss etc.

3. Hold the young person responsible for their own choices:

Remind them that we cannot rescue them from harm that they bring on themselves, whether it is caused by drug use or not. We need to clearly state our expectations, such as that they remain drug-free, that they continue with their normal activities e.g. school, and that they stick to family rules.

\$upport

4. Offer support and put sanctions in place:

Offer the young person as much support as they need, if they are making an effort to change their behaviour for the better. We need to clearly state what we will do if they do not change their behaviour. We ourselves must decide what sanctions are appropriate, if any.

We need to remember that, as parents, we cannot “make” our son or daughter change their behaviour. We cannot “make” them not take drugs (once they have reached independence). Each person controls their own behaviour.

If the young person changes the behaviour, we should acknowledge this and give credit where it is due. However, it is important to recognise that they may choose not to change, in which case we must choose what we ourselves will do next.

facts
? ? ?
? ? ?

talk
to other
parents



5. Talk to other parents:

Other parents can be a very useful source of information and support. Sometimes parents are reluctant to share their concerns or suspicions with each other but this information can be really useful.

6. Seek professional help:

Sometimes, we may need the help and support of professionals who are trained in this area. Please see pages 43-59 for a listing of support agencies.

RESPECT is an important part of dealing with this situation – **Respect** for ourselves, **Respect** for our son or daughter and their **Respect** for us. You may find the following key points useful.

Relationship

We may feel angry and disappointed over our child's drug use. But we must remember that a good relationship with them is the most important factor in preventing harm and supporting them. We need to let them know that we are angry and disappointed at their drug use, but not at them. Remember – Don't lose the head!

Effect

If our son or daughter is regularly using drugs, this is likely to have a knock-on effect on the other members of the family and others outside of the family such as neighbours, friends and the wider community. Often the focus of attention can be solely on the young person and their drug use. It is easy to forget others who are also affected by the situation. They need to be considered when dealing with the situation.

Safety

Everyone's safety is important. The safety of our son or daughter is important as we need to show them that we are worried for their health and wellbeing. If we have serious concerns for their safety, we may need to seek external help e.g. addiction counsellor, Garda juvenile liaison officer etc. Asking for external help is nothing to be ashamed of – remember their safety is most important.

Power and Powerlessness

There is nothing that a parent can say or do that is guaranteed to "make" the young person never use an illegal drug. No adult can be expected to watch over an older teenager all day long. Parents can sometimes spend long sleepless nights searching in their heads for a magic formula that will make the young person change, but the answers are not always easy.

Encouragement

Encouragement for everyone is important. Regular drug use is difficult to deal with for everyone. We need encouragement to stick with the situation and have faith in our child. They need encouragement to help them to change their behaviour. We can give them this encouragement but, once again, sometimes we may need outside help both for ourselves and for them.

Communication

Keep the lines of communication open. Nothing will change if communication breaks down. Our children always need to know that we are there to listen and talk to them. We also need to make sure that they understand that they are responsible for what they do.

Time

It is possible that our son or daughter's drug use can become the 'be-all and end-all'. We need to make time for ourselves and for other family members to make sure that we don't get 'burnt-out' by all of this. Looking after ourselves is not being selfish. If we can 're-charge our batteries' we are in a better position to deal with the situation.

I KNOW my child is using drugs and is having problems because of it – what can i do?

confirmed use with additional problems

All drug use can be problematic but some young people may enter a phase of drug use which leads to particular problems in relation to the effect the drug-taking has on their life e.g. their health, safety, trouble with the law etc. This is usually a particularly difficult time for parents.

It is also important to remember that many parents and families have gone through this experience and come out the other side. A moment of crisis can become a turning-point for the better. We should get ourselves firmly grounded and talk to others before we attempt to tackle this situation so that we can be clear and calm.

Many of the same steps discussed in the previous section also apply here; however, there are some additional steps given that the drug use is problematic. As in the previous section one of the ways to deal with the situation is to set up a 'family meeting' with the young person. We should try to do this at a time when we feel able to talk to them calmly and where there will be no interruptions. It is important not to try to deal with this when anyone involved (us or them) is under the influence of alcohol or drugs.



definitely on drugs?

*TIPS for the 'meeting':

* Choose a suitable time to talk

to the young person about our concerns. It may help to have another person or two present, to avoid angry outbursts.

* **Prepare well** - talking to other adults will help, perhaps phoning a counsellor and talking to anyone else who will be present at the 'meeting' will help us. Other supports include school guidance counsellor, home/school/community liaison teacher or any of the services listed at the back of this booklet.

* **Focus on the visible harm.** We cannot always tell whether the child has taken a drug or not, so we need to focus on the visible harmful effects, such as poor exam results, not getting up in the morning, strange phone calls, undesirable friends, strange smells, mood swings, law-breaking etc. Make a list of these in advance, if it helps us.

* **Don't waste time looking for confessions of "guilt".** Most young drug users will not readily admit their drug use to a parent. But this does not matter. Even without that certainty, there is a lot we can do.

* **When necessary, press the 'pause button'.** If the meeting turns into a heated argument, we can press the 'pause button' and provide time out in order to calm down.

* Carefully consider the outcomes.

We should ask ourselves what outcome do we want? We will probably want our son or daughter to become a happy, healthy, responsible human being, and we desperately hope that they will not ruin their own life or anybody else's by using drugs.

* **Point out what is unacceptable** to us as parents and clearly spell out what we will do if the unacceptable behaviour continues. (We should have prepared this in advance).

* **Assure them that if they need help to change the unacceptable or harmful behaviours, we will provide all the support we can,** as long as the young person is also making an effort. Remind them that we love them and that we want to help them to be happy and well.

* **After the meeting, we should be prepared to be tested so we need to stick to our promises.** We should not make it easy for them to go on using drugs by rescuing them, giving them money, paying off debts, making excuses for them, covering up for them, etc. However, in some situations the young person's safety may be at risk, e.g. with threats of violence from dealers; therefore we may need to get help and advice from the Gardaí.

When we find out our child is using drugs and having problems CONCERN can be the first thing we experience – CONCERN for them and CONCERN for ourselves and our family. Here are some more useful pointers to help us deal with this situation

Communication

Keep talking and listening to them. This includes talking about our fear about the harmful effects that may be caused by drug use.

Ownership

Who owns this problem and who is being affected by it? Remind the young person that they are responsible for their own behaviour and any related consequences and that we cannot and will not assume responsibility for keeping them out of trouble and free from drugs.

Need

We need to think about what needs are being met for the young person through their drug use. Is it a coping mechanism? Is it about the need to rebel? Or is it something else? We also need to remember our own needs and the needs of other family members, e.g. the need for a stable family life, the need to consider everyone's safety and well-being.

Coping skills

Everyone needs coping skills in this situation. As parents, we need coping skills to deal with this situation, to deal with our son or daughter and to deal with the effect this may be having on the rest of the family. The young person is also going to need coping skills in order to make changes.

Effects

This includes the effects of the drug taking on the young person themselves (e.g. on their health and safety) and the effects of their drug taking on others around them, (e.g. family, friends etc). We need to keep an eye on all of this.

Respect


Respect might seem like an old fashioned idea but it is central to moving forward. Everyone needs to have respect for themselves in this situation – both parents and children. We may need to remind the child that they are showing a lack of respect both for themselves and for others affected by their drug taking. Part of having respect for ourselves as parents is setting limits and clearly stating what we are prepared and not prepared to do.

Networking

'No man or indeed woman is an island'. It is likely that we are going to need help to deal with all of this. We may need to talk to other family members, friends, other parents or other professionals. A little timely advice can save a lot of trouble in the long run. Who is best placed to help us and who do we trust?

I KNOW my child has become dependent on drugs – what can i do?

addiction



In a minority of cases some young people go on to develop a dependence on or an addiction to drugs.

“Dependent drug use is strongly associated with compulsion, either physical or psychological. It is more likely to be a long-term activity with the user, in most cases, unable to control his drug use. Dependence is associated with increases in the amount and frequency of the drug taking. This level of drug use is usually a solitary or small group activity and is frequently accompanied by emotional, psychological and social problems as well as physical illnesses.” www.dap.ie

This is a very difficult time for the young person, the parents and the family as a whole. It is essential at this stage of drug use that the young person and the family get the help and support of relevant services. This might include drug addiction services, counselling, self help groups or family support groups.

As suggested earlier in the booklet, it is more important than ever at this stage that we as parents take time to take care of ourselves and other members of the family. We also need to remember the issue of power – the only person who can make our son or daughter stop taking drugs is themselves.



TOUGH


LOVE

It may come to a stage where some 'tough love' is required; while we love and care for our son or daughter who is in this situation, we may have to make some tough decisions and face up to the realities of the situation. Once again, outside help or family support can be extremely useful in helping us to think and work through some of these issues. For further information on support services see the list on pages 45-51.

It may be the case that the young person is not willing to get professional help to deal with their addiction and wants to continue using drugs. If the family has tried everything possible to get help for the young person, it may come to a point where parents are left with no other option but to ask the young person to move out of the family home. This may be in the best interests of other members of the family who are affected by the young person's drug use. This obviously would be very difficult for everyone involved and is 'tough love' at its toughest.

It is important for parents to know that there are voluntary, community and statutory services (including HSE, addiction and outreach services) where a young person in this situation can get the help they need. It can be reassuring for parents to know that this support is available and that the young person is not alone.

Parents who find themselves in this situation can contact their nearest family support group for more information on these services. See Directory of Family Support Groups at the back of this booklet.



**we're
worried
Sick!!**

In addition to the tips and suggestions discussed previously in the booklet, the most important thing to get at this stage of drug dependence is SUPPORT and the help of relevant services. These pointers are useful reminders of what we as parents should focus on.

Services

Support services are essential in this situation. Different situations require different kinds of services. We need to think about the time, energy and possibly financial implications of using a particular service. We need to research which option best suits our needs and be aware of the realities of what is available to us.

Understanding

While it can be very difficult for parents to understand and accept what is happening within our family, getting an insight into the nature of dependence/ addiction can be very helpful. We need as much information as possible to help us understand what is happening and to make informed decisions.

Protect

We need to protect ourselves, our family and, in as far as possible, our son or daughter who is going through this.

Positive

While it may seem like the end of the world, being positive and having hope for the future is important. This will help us get through this situation. Many other families have had this experience and have come out the other side with positive outcomes, we can too.

Opportunity


We should use any opportunity that comes along to try to support our son or daughter to get help and to make the best use of this help. We should also use any opportunity to take the help and support that is offered to us. We cannot deal with this alone.

Responsibility

While we as parents may feel responsible in this situation, the main responsibility lies with our son or daughter. They need to face up to their responsibilities in order to make changes and move forward.

Time-out

A situation like this can take over a family's life. We all need to take time-out so that we can have 'a normal family life' and 'recharge our batteries'.



What to do in an EMERGENCY

CALL 999 or 112 IMMEDIATELY

When someone has fallen unconscious and you are finding it difficult to wake them:

- Check their airways, breathing and circulation (ABC). If necessary, begin CPR immediately.
- If they are unconscious but breathing, carefully place them in the recovery position.
- Loosen the clothing, keep them warm and reassure them if they are conscious.
- Try to keep them calm. If an overdose is suspected, try to prevent them from taking more drugs.
- Call 999 immediately. If it is possible identify what drugs the individual has taken inform the operator of the type of drug and the dosage taken.

When someone is unable to stand but is conscious:

- Don't attempt to get them to stand or to try to walk; falling in this condition can cause serious injury.
- Clear a space around them and, if possible, place them in the recovery position.
- Find someone to stay with the person while you call an ambulance.
- Always ensure that airway is clear and the person is breathing.

If someone needs help after taking Speed, Cannabis, Ecstasy, LSD or Magic Mushrooms:

- If needed, call an ambulance.
- Try not to panic! Speak in a normal voice and try not to let it show if you are scared or worried.
- Explain that what they are feeling will pass.
- Encourage them to settle in a quiet calm room (lower the lights if possible).
- If they start breathing quickly, calm them down by asking them to take long, deep breaths.
- If needed, call an ambulance straight away.
- Calm them down and be reassuring, speak in a low and calm voice.
- Don't allow them to overexert themselves.
- NEVER give them coffee.



**Emergency Services:
Call 999 or 112**

What to do in an EMERGENCY

1



CALL

Check the victim for unresponsiveness. If there is no response, Call 999 or 112 and return to the victim. In most locations the emergency dispatcher can assist you with CPR instructions.


2



BLOW

Tilt the head back and listen for breathing. If not breathing normally, pinch nose and cover the mouth with yours and blow until you see the chest rise. Give 2 breaths. Each breath should take 1 second.

3



PUMP

If the victim is still not breathing normally, coughing or moving, begin chest compressions. Push down on the chest 1.5 to 2 inches 30 times right between the nipples. Pump at the rate of 100/minute, faster than once per second.

CONTINUE WITH 2 BREATHS AND 15 PUMPS UNTIL HELP ARRIVES



NOTE: This ratio is the same for one-person & two-person CPR. In two-person CPR the person pumping the chest stops while the other gives mouth-to-mouth breathing.

(Source: www.pvac.org/main_files/learn/cpr/quickcpr.html)

FACTS ABOUT DRUGS

Some statistics about drugs:

In the Irish Health Behaviour in school aged children (HBSC) study 2010

- 21% age group 12 – 14 children report having had a alcoholic drink in the past month.
- 28% of children reported to being really drunk in the past month
- Children 10 -17 were asked to report on cannabis use in the last thirty (30) days.
Overall 5% reported to using it in the last month
- More Boys (7%) than Girls (3%) and older children compared to younger children are more likely to report using cannabis in the last 30 days

(Source: HBSC Study 2010)

In a Nationwide study

- On the Island of Ireland, one in four people aged 15 – 64 years (27%) reported taking any illegal drugs at some point in their life.
- Just over one in 30 (3.2%) had used an illegal drug in the last month in Ireland
- While cannabis continues to be the most commonly used illegal drug, cocaine use has grown particularly among the young adult (population)

(Source NACD Drugs Prevalence Survey 2010/11)

HEAD SHOPS

“Head Shops” or “Hemp Shops” opened in many towns and cities across Ireland. These shops were selling drugs which were not on the “schedule” of controlled or banned substances – which gave rise to the term “legal highs”. As a result, the Garda up until July 2010 could not prevent the sale of these drugs. However in July 2010, The Criminal Justice (Psychoactive Substances) Bill 2010 made it a criminal offence to sell or supply substances for human consumption which may not have been specifically banned under the misuse of Drugs Act 1977, but which have psychoactive effects.

The legislation allows Gardaí to bring those who sell or supply these drugs to court. If found guilty they will be fined or given a custodial sentence.



Types of drugs:

It is useful to know that drugs can be categorised into different types relating to the effects they have on the body. It should be noted that different drugs affect different people in different ways. This depends on the type of drug, the amount used, where and how it is used and the personality of the person using it. The main types of drugs include:

DEPRESSANTS: Can cause a person to feel more relaxed and less inhibited. In large amounts, they may cause unconsciousness, vomiting and death. Alcohol is a depressant.

MINOR TRANQUILLISERS: Are often prescribed to calm people down or to help them sleep at night. They have the same general effects as depressants. These include benzodiazepines.

OPIATES: Also known as narcotic analgesics, are strong painkillers that produce feelings of happiness (euphoria) and sleepiness. Morphine and heroin are opiates.

STIMULANTS: Are drugs that make people feel more awake, alert and energetic. Cocaine, amphetamines, nicotine and caffeine are stimulants.

HALLUCINOGENS: Are drugs that produce strange and intense distortions of perception called hallucinations. These drugs include LSD (acid) and magic mushrooms.

SOLVENTS: Can be detected by strong smells of aerosols or petrol, or a child appearing drunk for a short time. Such abuse can result in: damage to long term health, accidents as a result of impaired judgement. Solvent abuse can have immediate fatal results.

Many drugs don't belong to just one type. For example, cannabis can act like a depressant as well as causing feelings of happiness. Ecstasy can act as a stimulant and a hallucinogen.

**We need to accept that tobacco and alcohol are both drugs.
Tobacco contains nicotine, which is a stimulant and is very addictive.**

Some people may think that alcohol is a stimulant because it initially makes us more confident and outgoing, however, alcohol is, in fact, a depressant and is addictive.

Type of drug: **ALCOHOL**

Category: Depressant

Short-term effects: Effects last several hours. Intensity and speed of onset is increased if alcohol is concentrated and the stomach is empty. A standard drink is equivalent to a half pint of beer, a standard pub measure of spirits or a small glass of wine. Clumsiness and impaired judgment can start after even one drink.

Long-term effects: Heavy drinking is associated with increased risk of strokes, liver disease, high blood pressure, infertility, diseases of the nervous system and strong physical dependence. Withdrawal after very heavy use can involve delirium which can be fatal. Regular heavy drinking in pregnancy can cause lasting damage to the baby.


Binge drinking: The World Health Organization (WHO) currently defines "heavy episodic drinkers" as adults (aged ≥ 15 years) who consume at least 60 grams or more of pure alcohol at least once a week. This corresponds approximately to six standard alcoholic drinks, per sitting.

How long it stays in your system: Lasts in your system approximately one hour per unit consumed. There are approximately 2 units in a regular pint of beer.

Scientific / trade or slang name:

Ethanol, Ethyl Alcohol, Booze, alcohol brand names, beers, wines, spirits, liqueurs.

Method of use: A liquid which is swallowed.



For more information on talking to your child about alcohol please refer to the Straight Talk resource.

Straight Talk: A guide for parents on teenage drinking (HPUT00402)
Publication Date: 31 January, 2006

A useful guide for parents on how to deal with teenage alcohol use. Either to delay a teenager from starting to drink or deal with the issue of a teenager that is already drinking.

This booklet can be downloaded from:
http://www.drugs.ie/resources/publications/guides_and_support_booklets/



Type of drug: TOBACCO

Category: Stimulant

Short-term effects: Tobacco smoking involves the inhalation of tar, nicotine, carbon monoxide and other gases. Nicotine is a stimulant drug which increases pulse rate and blood pressure. Regular smokers often find smoking combats anxiety and stress, helps concentration and alleviates boredom. Some also find it suppresses appetite. First time users often feel sick, dizzy and suffer headache. Tolerance develops quickly to the effects of nicotine so more is needed to get an effect.

Long-term effects: Most people who smoke become dependent and feel restless and anxious if they try to stop. Very few people find they can just have the occasional cigarette. They tend to either smoke a number per day or not smoke at all. Regular, long term smoking greatly increases the risk of a number of serious diseases including lung and other cancers, heart diseases, bronchitis, bad circulation and ulcers. Women who smoke cigarettes during pregnancy tend to give birth to babies of lower birth weight. Smoking whilst taking oral contraceptives ('the pill') increases the risk of heart and circulatory problems.

Scientific / trade or slang name: Tobacco, Nicotine, Fag, Smoke.

Method of use: Inhaled or chewed.



Type of drug: **CANNABIS**

Category: Sedative/Hallucinogen

Legal status: All cannabis products are controlled by the Misuse of Drugs Act 1984. Cannabis is included in Schedule 1. It is, therefore, illegal to grow, produce, supply or possess. It is also an offence to allow one's premises to be a venue for cultivating, supplying or smoking cannabis.

Short-term effects: After smoking, effects start within a few minutes and can last several hours if high doses are taken. Significant perceptual distortions are relatively rare but possible after high doses. Effects may include relaxed feelings and talkativeness. Cannabis impairs the ability to drive and operate machinery.

How long it stays in your system: Cannabis generally stays in your system for over a week because it lingers in fatty tissue in the body. Complete elimination from an individual's system after a single use may take as long as 5 weeks while chronic users may have cannabis in their system for up to 80 days.

Long-term effects: Psychological dependence and respiratory problems are possible, including lung cancer. Cannabis can impair learning and can increase the risk in young people of developing a psychotic illness later in life (Moore et al. 2007). Cannabis can bring on paranoid episodes or schizophrenia.

Scientific / trade or slang name: Smoke, Dope, Ganja, Marijuana, Blow, Pot, Draw, Grass, Weed.

Method of use: There are three forms of Cannabis: Herbal, Resin and Oil. Cannabis is generally smoked in a cigarette (joint) with tobacco or (more rarely) on its own through a pipe or other device e.g. "bong". Resin is sometimes eaten in cakes or other foods.

Signs & symptoms of cannabis use:

- Bloodshot eyes
- Giggling (especially in the early stages of using)
- Distracted
- Introverted
- Short attention span
- Verbal tangents



Type of drug: **ECSTASY**

Category: Stimulant/ Hallucinogen

Legal status: Under the Misuse of Drugs Act, it is illegal to sell, possess or supply ecstasy. It is also an offence to allow one's premises to be used as a venue for preparation, supply or consumption.

Short-term effects: Similar to general effects of low dose amphetamines plus feelings of empathy towards others. Deaths have occurred even at low doses with symptoms similar to heatstroke.

Additionally, users can experience what is known as water intoxication i.e. where the user drinks more water than the body can deal with.

Long Term effects: Similar to amphetamines. Evidence of serious liver damage.

How long it stays in your system: Can last in your system approximately 3 days.

Scientific / trade or slang name: Methylenedioxymeth amphetamine, MDMA, E, Adams, Eves, Street names inc. E, XTC, Doves, Disco Biscuits, Shamrock, Adam, Edward, Denis the Menace, Yokes.

Method of use: Swallowed as tablet or capsules.

Signs & symptoms of ecstasy use:

The following symptoms may occur, but some are not definite.

- Hyperactivity
- Unusual confidence
- Thirsty
- Jerky movements
- Insomnia
- No appetite
- Very talkative
- Grinding of teeth
- Staring
- Very large pupils
- Sweating
- "Spittin' cotton", spit is like a cotton ball

After effects: Depression, fear, listlessness, apathy, muscle aches, cramps, mood swings.



Type of drug: **AMPHETAMINES**

Category: Stimulant

Legal status: The Misuse of Drugs Acts control most of the amphetamine-type drugs, prohibiting the unauthorised production, supply or possession. It is also an offence to allow one's premises be the venue for same.

Short-term effects: Strong stimulants. The effects last 3-4 hours. At higher doses intense exhilaration and feelings of greatly increased mental and physical abilities, sometimes panic and paranoia. After repeated doses over several days, a temporary psychotic state is possible. Direct overdose deaths are rare.

Regular, frequent use is associated with generally poor health due to lack of sleep and poor appetite. Withdrawal effects can be severe.

How long it stays in your system: Can last in your system approximately 4 days.

Scientific / trade or slang name:

Stimulant, Speed, Whizz, Uppers, Billy, Dexedrine, and Sulphate. When bought on the street it is usually sold in small folded squares of paper in an envelope shape.

Method of use: Pills and capsules taken by mouth. Methamphetamine crystals are injected or heated in a glass pipe so that the vapour can be inhaled.

Signs & symptoms of amphetamine use:

The following symptoms may occur, but some are not definite.

- Hyperactivity
- Jerky movements
- Very talkative
- Very large pupils
- Thirsty
- Staring
- Unusual confidence
- Insomnia
- Grinding of teeth
- Sweating
- No appetite

After effects: Depression, fear, listlessness, apathy, muscle aches, cramps, mood swings.



Type of drug: BENZODIAZEPINES (Sleeping tablets and tranquillisers)

Category: Depressant

Legal status: Prescription only medicines

Short-term effects: Relief from anxiety and tension is achieved with less drowsiness and lack of co-ordination than with alcohol or barbiturates. On their own, enormous doses would be required to cause overdose or death. Pleasurable feelings as with diazepam but not usually with other benzodiazepines.

Long-term effects: Sometimes chronic sedation and lethargy and after high doses chronic intoxication. Physical dependence can occur after long-term use. Withdrawal syndrome commonly includes anxiety, restlessness and tremor, but is usually much less severe than barbiturates.

Scientific / trade or slang name: Prescribed drugs including sleeping tablets and tranquillisers with various brand names.

Method of use: Swallowed as tablets, may be injected from tablets or capsules.

Signs & symptoms of benzodiazepine use:

- Aggression (when used with alcohol)
- Slurred speech
- Gentle, monotone voice
- Distracted
- Tranquil
- Agoraphobia
- Passiveness (when used with opiates)
- Reclusiveness.
- Fear of people and the street.
- After effects: (long time usage).

After effects (long time usage):

Reclusiveness, agoraphobia and fear of people becomes highly exaggerated, tension in neck, idiosyncratic behaviour becomes exaggerated, twitching of eyes.



Type of drug: **COCAINE**

Category: Stimulant

Legal status: It is illegal to sell, possess or supply. It is also an offence to allow one's premises to be a venue for preparation, supply or consumption.

Short-term effects: Strong stimulant similar to amphetamines but lasting only 15-30 minutes. Repeated use over several hours may lead to extreme agitation, paranoia and toxic psychosis. Death from respiratory arrest after large doses, more likely if heroin or another depressant drug is used at the same time.



WARNING: Even though many cocaine users think that using alcohol will slow down their metabolism, in fact, it causes a higher heart rate and blood pressure which can result in heart failure. When both Cocaine and Alcohol are entered into the bloodstream they form a toxic substance known as coca ethylene.

Long-term effects: The short lived "high" followed by rebound after-effects leads to extreme mood swings and eating disorders. There can be paranoid thinking and psychotic behaviour. If sniffed, possible nose damage; if smoked possible respiratory problems.

How long it stays in your system: Can last in your system approximately 4 days.

Scientific / trade or slang name: Coke, Snow, Charlie, Crack, Free Base

Method of use: Usually snorted up the nose, also injected. Crack is smoked.

Signs & symptoms of cocaine us:

Signs and symptoms are similar to amphetamines with the addition of:

- Nose irritation (runny, itchy - due to snorting).
- Extremely rapid heartbeat after use.

After effects: Unlike ecstasy and other amphetamines in which the effects can last up to six hours, the rush of cocaine lasts about 2-3 minutes and the effects start to wear off in 12-13 minutes.

Type of drug: HEROIN

Category: Opiate (Painkiller)

Legal status: A controlled substance, it is an offence unless prescribed by a doctor or pharmacist to import, distribute, produce or supply it.

Short-term effects: Heroin is relatively potent, easily dissolved in water for injecting, and penetrates the blood-brain barrier much more quickly than its parent drug morphine. It can also be smoked giving it a practically immediate effect. For all these reasons heroin is the opiate preferred by many drug users. Effects last 3-6 hours. After injection there can be an intensely pleasurable rush. Withdrawal begins after 8 hours.

Long-term effects: Heroin invariably leads to physical and psychological dependency. Dependence can occur after a few days. Withdrawal, once addicted, is difficult, and the symptoms include drowsiness, sweats, bone and muscle pain, diarrhoea, cramps, anxious breathing, vomiting and possibly even coma. Overdosing can be fatal, as can combining it with large amounts of alcohol. Sharing needles carries a greater risk of infection with HIV/AIDS and Hepatitis.

How long it stays in your system: Can last in your system approximately 4 days.

Scientific / trade or slang name:

A strong painkiller, Smack, Skag, H, Brown, Gear, Tack, Yack, Junk.

Method of use: Smoked, sniffed or injected.

Signs & symptoms of heroin use:

- Very small pupils when stoned
- Light coloured eyes turn bright blue; Eyes take on a glassy appearance
- 'Goofing Off' (looks like nodding off, it's hard for the person to keep eyes open)
- Inability to finish sentences; Slurred speech
- Shallow breathing
- Scratching
- Excessive smoking
- Loose facial muscles
- Blood stains on clothes (due to using needles); Bloody tissues
- 'Track' marks on body (marks left by needles, especially on hands, arms and legs although any vein can be used). Long sleeves in warm weather (hiding track marks on arms)
- Burnt holes in furniture, bed linen or clothes caused by "goofing" when smoking a cigarette
- Burnt tin foil (due to "Chasing the Dragon" - smoking heroin)
- Spoons going missing in house, spoons with a blackened underside (due to cooking heroin)
- Cut filters from cigarettes
- Ties or laces in pockets (tourniquets).

After effects: Runny nose and eyes, excessive yawning, agitation, cold sweats/ hot flushes, overeating / under eating, severe diarrhoea after constipation, dry retching which produces bile, constant knot in stomach, nausea, the shakes / spasms in arms and legs, highly enlarged pupils, severe cramps in stomach and back of legs, panting, sleeplessness, lack of energy, crankiness, depression, gooseflesh skin, spontaneous orgasms in men and women, violent spasms in the small of the back causing back to arch.



Heroin detox: It is important to know that people very rarely die from going 'cold turkey'. One of the real dangers of heroin is in relation to overdose.

Methadone: Methadone is a synthetic drug which is widely used to replace heroin or morphine in the treatment of dependence. For this, methadone can be given once daily to prevent withdrawal symptoms. (Source: The British Medical Association New Guide To Medicines and Drugs, 6th Edition, 2004) People can become dependent on methadone. In Ireland, it can be prescribed only by doctors who are specially trained and registered to do so.

WARNING: Safe storage of methadone: Accidental poisoning by methadone occurs, particularly as a result of children ingesting a parent's methadone. Health care professionals have a responsibility to provide information and guidance to methadone users on safe storage of methadone.

While at home, always keep methadone in a safe place – preferably in a locked box or cabinet – out of the reach of children and clearly marked to prevent anyone else from taking it accidentally. Remember: Methadone is a very strong drug. A small amount can kill a child or an adult who does not have a tolerance to it. If anyone in the home accidentally drinks methadone, call 999 or an ambulance immediately.

Drug Related Intimidation

If you are experiencing drug related intimidation, there are services that can support you through this

What is Drug Debt and Intimidation?

If your son or daughter has got themselves into difficulty with drugs and has run up debts with drug dealers, those dealers will want to be paid regardless of your son or daughters capacity to do so. Your son or daughter may try to repay these debts using cash and/or involvement in illegal activity.

When drug users are unable to repay the debt, drug dealers can then target and intimidate their families to repay these debts. This can include threats, damage to your home or property, physical violence and sexual violence. Some families try to repay the debt; others refuse to repay the debt while other families are simply unable to repay the debt. The whole experience can be very frightening and can pose a serious risk to you and members of your family.

Who can help?

National Family Support Network (NFSN) — Supporting Family Members Living with Substance Misuse, Tel: (01) 898 0148, established the *Drug Related Intimidation Reporting Programme* in partnership with the Garda National Drugs Unit. This programme is set up specifically to respond to the needs of those experiencing drug related intimidation. There are Garda Inspectors who have been especially selected by the Garda Commissioner to respond to issues of drug related intimidation. You can contact a station directly and request to speak with the nominated inspector in charge of drug related intimidation within your area. Or you can link in with a support worker from the National Family Support Network. A full list of the nominated Inspectors and their contact details can be found on www.fsn.ie.

How can a support worker help me?

A support worker will listen to your experiences and provide you with information on the Drug Related Intimidation Reporting Programme. They can also support you to think through some of the difficult decisions you are facing and help you to meet with the nominated Garda Inspector for your area.

How can the Gardaí help me?

If you decide to meet with the nominated Garda Inspector, at the initial meeting, you will be provided with practical safety information and advice in relation to particular threats or instances of intimidation. You will also be provided with information on drug support services for the individual in the family who is accruing the drug debts. The Inspector will also outline what is involved in making a formal complaint, what happens after a formal complaint is made and the possible outcomes. It is the decision of the person being intimidated if they want to make a formal complaint. You can meet with the Inspector in a neutral venue and request for the Inspector to be in plain clothes. For further information please contact: Project Office, Garda National Drugs Unit, Dublin Castle, D2, (01) 666 9900, www.garda.ie. Or the National Family Support Network on (01) 898 0148.

Technology

"They NEVER let that phone out of their hands"

"I CAN'T STOP playing these Games"

"Over 50% of children said that their parents spoke to them RARELY or NOT AT ALL about what they did on the INTERNET"

BALANCED LIFESTYLE between the REAL WORLD and the ONLINE ONE"

The term Technology in this context is applicable to internet usage, hand held devices such as mobile phones, tablets and console video games.

Preface


Internet addiction, excessive internet disorder or gaming addiction are terms that are widely used in the media, but as of yet there is no psychological classification on excessive internet use or internet disorder. Your child's use of technology may well be characterised as behaviour in this era of the World Wide Web. Nevertheless, as we become over reliant on technology, our Counselling service has seen an increase in families having difficulties when it comes to their child's excessive or compulsive use of technology. Parents frequently disclose that their children have become withdrawn; over reliant on online activities rather than real world events, a common theme throughout these conversations would be social isolation. It was therefore deemed appropriate to include Technology in our Don't Lose the Head workbook, what we have included is a guide for parents on how to become involved with their children's on line activities.

The internet, mobile phones, video games consoles are all part of a young person's life. The increased time adolescents are spending online is prompting questions about whether in fact too much time is being spent sitting in front of a PC, Laptop, Games Console or hand held device. Reports have suggested that this can negatively influence several aspects of young people's lives, perhaps leading to: declining school results or even dropping out of school, increased family tension, abandoned hobbies; psychological problems such as depression, anxiety, low self-esteem; and physical health problems due to sleep deprivation and lack of physical activity (Young & Abreu, 2011). Time in itself

is not necessarily a problem; spending a lot of time online is not necessarily a sign of a child having problems related to internet use. The term 'excessive use' has been chosen by many organisations to indicate a pattern of use which is repetitive, compulsive and uncontrolled. To prevent excessive internet use, parents are recommended to be actively involved in their child's online activities through support and discussion, especially, but not only, when a child has been bothered by something online. However Social media, internet and console video games have the capability to change the way we feel and they also have the ability to 'self-entrap'. We all want to be the best at the game we are playing, hear all the latest news / gossip, this self-entrapment in terms of time spent online can negatively influence several aspects of young people's lives as already discussed in this paragraph.

What can we do

Set clear limits and expectations, just as important as setting time limits is the need to enforce them, and make sure that everyone agrees to the rules up front. Encourage social engagement, some games are very social while others are played in isolation, if your child spends a lot of time alone playing games, be sure to also work with them to find activities that interest them and involve other parties. Get involved first hand, find out about the game and what the likes and dislikes are about the specific game being played. By getting involved is also your way of expressing concerns in an open forum.



FROM THIS



TO THIS

Basics...

- Keep the computer where you can see it in a busy part of the house - not in the child's bedroom!
- Don't forget about laptops, tablets, video console games and smart phones!
- Spend time online and familiarise yourself with websites and games they use.
- Look and take note if too much time is being spent online.

Talk about...

- Protecting privacy, don't allow your child to give out personal information such as phone numbers, addresses, passwords, etc.
- Behaving appropriately when using social networks and online chat, smart phones etc.
- Being careful who they accept as friends online. What are friends are they real world or ones they have only met online? For younger children it should be other kids they already know from school or the neighbourhood.
- "Think before you click!" when uploading photos or videos. That is, asking yourself "would I like this photo/video to be online if it was me in the picture?"

Be Watchful...

- Find out what your children's habits are regarding social media platforms.
- Strangers online can be hard to spot. Familiarise yourself with whom your child is talking too online. Who are their "friends"?
- Online friends may be different to real world friends.
- Check history files for suitability of visited sites and chat rooms (especially for younger children).
- Check e-mails (especially for younger children).
- Check mobile phone usage. Talk to your mobile provider about dual access or other parental controls they offer - even for prepaid (credit) customers.
- Inform yourself, visit www.webwise.ie, www.internetsaftey.ie, www.childlineonline.ie for more information regarding online safety.

Set Rules...

- When the internet can be accessed and for how long.
- Never give out personal information without permission.
- Never agree to meet an online friend without permission.
- Take regular breaks from video games.
- Use parental controls within the games system.
- Look out for appropriate age ratings on games.

Support Services

Where to find help

In this section we list the Regional Drug & Alcohol Task Forces (RDATFs) and the Local Drug & Alcohol Task Forces (LDATFs). There are ten Regional Drugs Task Forces which cover the whole of the Republic of Ireland, there are fourteen Local Drug & Alcohol Task Forces covering Dublin. RDATF's and LDATF's are listed on p47.

Both the Regional and Local DATFs can provide you with information about local services. The Task Forces have an inter-agency brief, including the activities of the Statutory, Voluntary and Community sectors, so they will have information about a wide range of services.

We have included further details on the North Dublin Regional Drug & Alcohol Task Force services on p48.

We have also listed a small number of services which have a national outreach. However, there are many more services than we can list here, so we encourage you to contact a Task Force to find out more about services near you.

Services

RDATFs/LDTFs

NDRDATF

National

Crosscare
Youth Work

Regional Drug & Alcohol Task Forces (RDATAFs)

Midlands – Longford, Westmeath, Laois & Offaly	Tel: 090 648 3195 Web: www.mrdatf.ie
Mid Western – Clare, North Tipperary, Limerick & Limerick City	Tel: 061 607 242 Web: www.mwrdtf.ie
North Eastern – Cavan, Monaghan, Meath & Louth	Tel: 046 924 8630 Web: www.nedrugtaskforce.ie
North West – Donegal, Leitrim, Sligo & North West Cavan	Tel: 071 915 1520 Web: www.nwdrugtaskforce.ie
Southern – Cork & Kerry (excluding Cork City)	Tel: 021 493 0100 Web: www.corkdrugandalcohol.ie
South East – Waterford, Wexford, South Tipperary, Carlow & Kilkenny	Tel: 051 848 864 Web: www.serdatf.ie
Western – Galway, Mayo & Roscommon	Tel: 091 480 044 Web: www.wrdatf.ie
East Coast – Wicklow	Tel: 01 274 4132 Web: www.ecrdatf.ie
Northern – North Dublin City & County	Tel: 01 813 1786 Web: www.ndublinrdtf.ie
South West – Kildare, West Wicklow, South & West Dublin	Tel: 045 875 111 Web: www.swrdatf.ie

Local Drug & Alcohol Task Forces (LDATAFs)

Ballyfermot	Tel: 01 623 5612 Web: www.ballyfermotldatf.ie
Ballymun	Tel: 01 883 2142 Web: www.ballymunlocaldrugtaskforce.ie
Blanchardstown	Tel: 01 824 9590 Web: www.blanchardstowndrugtaskforce.ie
Bray	Tel: 086 605 7147 Web: www.brayldtf.ie
Canal Communities	Tel: 01 795 5645 Web: www.ccldatf.ie
Clondalkin	Tel: 01 457 9445 Web: www.clondalkindrugtaskforce.ie
Cork	Tel: 021 493 0100 Web: www.corkdrugandalcohol.ie
Dublin North East	Tel: 01 846 5070 Web: www.dnetaskforce.ie
Dublin 12	Tel: 01 455 8940 Web: www.d12ldatf.ie
Dun Laoghaire/Rathdown	Tel: 01 706 0125 Web: www.dlrdrugtaskforce.ie
Finglas/Cabra	Tel: 01 830 7440 Web: www.finglascabraldtf.ie
North Inner City	Tel: 01 836 6592 Web: www.nicdtf.ie
South Inner City	Tel: 086 0080685 Email: sicdatf@gmail.com
Tallaght	Tel: 01 464 9303 Web: www.tallaghtdatf.ie

RDATAF & LDATF details updated October 2019



NORTH DUBLIN REGIONAL DRUG & ALCOHOL TASK FORCE

01 223 3493 · brid@ndublinrdtf.ie · www.ndublinrdtf.ie

The NDRDATF works with local partners in North County Dublin to develop, implement and monitor a drug and alcohol strategy to reduce the harm caused by substance use to children, adults, families and the wider community.

The North Dublin RDATE offer the following services:



Free & confidential Supports for family members impacted by a loved one's drug/alcohol use in North County Dublin.

Fingal Families

Family Support Specialist
01 223 3493 / 086 793 5644
siobhan@ndublinrdtf.ie



Free and confidential drug & alcohol support for adults living in North County Dublin

Community Care Service

01 813 1786
info@ndublinccare.ie




SÁMH
(Substance Abuse & Mental Health) Groups

Capacity building, drug information & education, community engagement, school supports

Health Promotion & Training

086 781 5076 / 01 223 3493
richie@ndublinrdtf.ie

The North Dublin RDATE also funds local services:

 Crosscare (Drug & Alcohol Programme)	Youth Substance Use Teams in Swords 086 780 2399 and Balbriggan 086 885 9098
Coolmine TC	Traveller & New Community Specialist service 01 679 4822
Youth Counselling	Delivered in SAMH areas 01 223 3493

National services

This page has a small selection of services which operate at National level

Alcoholics Anonymous (AA) is a fellowship of men and women who share their experience, strength and hope with each other that they may solve their common problem and help others to recover from alcoholism.	T: (01) 842 0700 E: gso@alcoholicsanonymous.ie W: www.alcoholicsanonymous.ie
Aislinn Adolescent Addiction Treatment Centre offers inpatient, aftercare, counselling, family support for alcohol, drugs, gambling and prescription drug addiction. Aimed at young people, aged between 15 and 21. The Aislinn Ctr is based in Ballyragget, Co Kilkenny.	T: (056) 883 3777 E: info@aislinncentre.ie W: www.aislinn.ie
Aware is a national organization which provides information and support to individuals who experience depression and their families. Services include a network of support groups nationwide and a loCall Helpline open 365 days a year.	T: (01) 661 7211 loCall: 1890 303 302 E: info@aware.ie W: www.aware.ie
BeLonG To Youth Service is an organisation supporting lesbian, gay, bisexual, transgender, and intersex (LGBTI+) young people, aged between 14 and 23.	T: (01) 670 6223 E: info@belongto.org W: www.belongto.org
Bodywhys is a voluntary organization dedicated to supporting people in Ireland affected by eating disorders.	T: (01) 283 4963 Helpline: 1890 200 444 E: info@bodywhys.ie W: www.bodywhys.ie
Console supports and helps people bereaved through suicide. Aimed at individuals and/or families.	T: (01) 868 5232 Helpline: 1800 201 890 E: info@console.ie W: www.console.ie
Coolmine Therapeutic Community is a rehabilitation centre for problem drug users in Ireland. Coolmine develops programmes to help clients help themselves. Coolmine Therapeutic Community is based in Dublin.	T: (01) 679 3765 E: info@coolminetc.ie W: www.coolminetc.ie
Drugs/HIV Helpline (HSE)	T: 1800 459 459 E: helpline@hse.ie
Drug Treatment Centre Board; its mission is to provide an integrated, centered, specialist addiction service, supported by best practice and leadership in academic excellence. In partnership with other statutory voluntary agencies it provides prevention, treatment, rehabilitation and programmes for out-patients and in-patients in order to minimize the effects of drug addiction.	T: (01) 648 8600 E: info@dtcb.ie W: www.addictionireland.ie
Family Support Network is an autonomous self-help organisation that respects the lived experiences of families affected by drugs in a welcoming non-judgemental atmosphere. There are Family Support groups throughout Ireland which are coordinated by head office in Dublin.	Telephone: (01) 898 0148 E: info@fsn.ie Website: www.fsn.ie

Continued overleaf

National services Continued

Grow in Ireland is a mental health organisation which helps people who have suffered or are suffering from mental health problems. Grow is anonymous, non-denominational and open to all. There are meetings weekly throughout Ireland.	T: (01) 873 4029 Info. Line: 1890 474 474 E: info@grow.ie W: www.grow.ie
Merchants Quay Ireland is a voluntary organisation providing a wide range of services to people who are homeless and for drug users.	T: (01) 524 0160 E: info@mqi.ie W: www.mqi.ie
National Drug Website	E: info@drugs.ie W: www.drugs.ie
Pastoral Response to Substance Misuse is an initiative of Irish Episcopal Conference providing information, awareness, training & education. Working within the parishes, schools etc., providing programmes for parents and youths.	T: (01) 505 3044 W: www.irishbishops drugsinitiative.com
Peter McVerry Trust – Community Detox (The Lantern). Six-week programme for drug users wishing to detox from methadone. Psycho-social support/ relapse prevention.	T: (01) 823 0776 E: info@pmvtrust.ie W: www.pmvtrust.ie
Pieta House offers one to one counselling for people who have suicidal ideation, people who have already attempted suicide and people engaging in self harming behaviours. This service is free of charge.	T: (01) 601 00 00 E: mary@pieta.ie W: www.pieta.ie

National services - Helplines

Alcoholic Anonymous (AA)	(01) 842 0700
Aware	loCall 1890 303 302
Bodywhys	1890 200 444
Childline	1800 666 666
Console	1800 201 890
Drugs / HIV helpline (HSE)	1800 459 459
Grow in Ireland	1890 474 474
Homeless Service 24hr Freephone	1800707707 or 01 2226838
Narcotics Anonymous (NA)	(01) 672 8000
Parent Line	1890 927 277
Positive Options	Free text the word LIST to 50444 or phone 01 814692
Samaritans	1850 609 090
Teenline Ireland	1800 833 634
Womens Aid	1800 341 900

Crosscare Youth Work

Every year over 12,000 young people avail of CROSSCARE Youth Work and Teen Counselling services. These services create supports for young people at times and places that meet their specific needs. Activities range from informal drop-in and youth cafés, to more structured programmes and access to educational, personal and health supports. We also manage Garda Youth Diversion Projects that support young people who have offended or who are at risk of entering the criminal justice system.

Finglas Youth Service	Telephone: 01 834 1436
Swords / Baldoyle Youth Service	Telephone: 01 840 5100
Dundrum / Rathdown Youth Service	Telephone: 01 493 8284
Dún Laoghaire Youth Service	Telephone: 01 284 4085
Bray Youth Service	Telephone: 01 205 0502
East Wicklow Youth Service	Telephone: 040 239 646
Clondalkin Youth Service	Telephone: 01 459 4666
Lucan Youth Service	Telephone: 01 621 7640
Ronanstown Youth Service	Telephone: 01 457 0363
Ballybough Youth Service	Telephone: 01 856 1383

For Teen Counselling, please contact

Tel: 01 557 4705 Monday to Friday 9am – 5pm or **Email:** teencounselling@crosscare.ie

Teen Counselling operates in Arran Quay (City Centre), Drumcondra, Clondalkin, Tallaght, Finglas, Dún Laoghaire




References

- Advocates for Youth. Parent-child Communication.* <http://www.advocatesforyouth.org/parentchild.htm> and http://www.advocatesforyouth.org/publications/pccbasics/form_transparency/developmental.htm
- Anthony Biglan, Patricia A. Brennan, Sharon L. Foster, and Harold D. Holder, (2004). *Helping Adolescents at Risk: Prevention of Multiple Problem Behaviours.*
- Canadian Centre on Substance Abuse, (2007). *Canadian Landscape Youth and Drugs*, Ottawa.
- Children, Youth & Women's Health Service. *Parenting & Child Health - Drugs & parenting.* <http://www.parenting.sa.gov.as>.
- Department of Health (2012). Health Behaviour in School-aged Children Survey, (HBSC) 2010.
- Dublin North East Drugs Task Force. *Information booklet for parents and guardians.* <http://www.dnedrugtaskforce.ie>
- Focus Adolescent Services <http://www.focusas.com/SubstanceAbuse.html>). *Warning Signs of Teen Substance Abuse.*
- Government of Canada (2008). *Talking with your Teen about Drugs.* <http://www.drugprevention.gc.ca>
- Health Service Executive. *The Facts of Drugs – a parent's guide.* <http://www.mhb.ie/mhb/OurServices/PublicHealth/Drugs/>
- Internet addiction, A Handbook and Guide to Evaluation and Treatment 2011 by Young & Abreu
- Irish Examiner (Tuesday January 29th, 2008). *Let's Talk Drugs – How to talk to your children about drugs.*
- Moore et al (2007). The Lancet: 370:319-28
- National Advisory Committee on Drugs (2012). Drug Use in Ireland & Northern Ireland - First Results from the 2010/2011 Drug Prevalence Survey, Bulletin1.
- National Youth Health Programme (2002). *Support Pack for Dealing with the Drugs Issue in Out-of-School Settings.*
- Positive Parenting against drugs. <http://www.mcesa.k12.mi.us/Documents/Parenting/parentips.htm>. *Techniques for Successful Positive Parenting.*

Websites

- www.childlineonline.ie
- www.crosscare.ie
- www.drugs.ie
- www.eukidsonline.net
- www.fsn.ie
- www.healthpromotion.ie
- www.internetsaftey.ie
- www.positiveparenting.com
- www.spunout.ie
- www.webwise.ie
- www.who.int





Drug & Alcohol Programme (DAP)

Holy Cross College

Clonliffe Road

Dublin 3

D03 P2E7

www.crosscare.ie

t (01) 836 0911

e info@dap.ie

DAP is a programme of Crosscare, which is the Social Care Agency of the Catholic Archdiocese of Dublin. This booklet is co-funded by the North Dublin Regional Drug & Alcohol Task Force.



ISBN 978-1-906485-09-2



9 781906 485092 >